



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

RBE350A94-3700-C

Job Sheet 189306



Part No: RBE350A94-3700-C

Job Qty: 5 pcs

Part Name: Swashplate Immobilizing Tools Adjustable Brace



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 1/22/19

Job Tracking No:

Due Date: 2/8/19

Created By: Marie Lajeunesse

Type: Stock

Description:

Note: DWG RBE350A94-3700-C Rev 6 IPP Rev A 17.12.21 New issue DP Verify DD

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup Hrs	Run Hrs	Workcenter / Supplier	Lead Time	
110	Small Fab - 1	5 pcs	2/8/19	2/8/19	0.00	0.00	Small Fab - 1		MLC
							Small Fab - 2		
							Small Fab - 3		
							Small Fab - 4		
							Small Fab - 5		
							Small Fab - 6		
							Small Fab - 7		
120	QC 5	5 pcs	2/8/19	2/8/19	0.00	0.00	QC 5 - 10		DAS 19 9-09
							QC 5 - 12		
							QC 5 - 17		
							QC 5 - 18		
							QC 5 - 19		
							QC 5 - 22		
							QC 5 - 24		
							QC 5 - 3		
							QC 5 - 38		
							QC 5 - 42		
							QC 5 - 43		
							QC 5 - 49		
							QC 5 - 51		
							QC 5 - 58		
							QC 5 - 68		
							QC 5 - 9		
							QC 5 - 50		
							QC 5 - 30		
130	Packaging 3-1 - Stock - B4B	5 pcs	2/8/19	2/8/19	0.00	0.00	Packaging 3 - 1 - B4B		
							Packaging 3 - 2 - B4B		
							Packaging 3 - 3 - B4B		
							Packaging 3 - 4 - B4B		
							Packaging 3 - 5 - B4B		
							Packaging 3 - 6 - B4B		



Container No: S170288

Part: RBE350A94-3700-C

Job No: 189306

Serial No/Batch: S170288

Revision: 6

Inspector:

Exp Date:

Instructions:

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL.: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

Date: 04/08/19

Plex 1/22/19 1:33 PM Dart.lajeunesse.marie


					Packaging 3 - 7 - B4B	
					Packaging 3 - 8 - B4B	
					Packaging 3 - 9 - B4B	
					Packaging 3 - 10 - B4B	
					Packaging 3 - 11 - B4B	
					Packaging 3 - 12 - B4B	
					Packaging 3 - 13 - B4B	
					Packaging 3 - 14 - B4B	
					Packaging 3 - 15 - B4B	
					Packaging 3 - 16 - B4B	
					Packaging 3 - 17 - B4B	
					Packaging 3 - 18 - B4B	
					Packaging 3 - 19 - B4B	
					Packaging 3 - 20 - B4B	
					Packaging 3 - 21 - B4B	
					Packaging 3 - 22 - B4B	
					Packaging 3 - 23 - B4B	
					Packaging 3 - 24 - B4B	
					Packaging 3 - 25 - B4B	
					Packaging 3 - 26 - B4B	
					Packaging 3 - 27 - B4B	
					Packaging 3 - 28 - B4B	
					Packaging 3 - 29 - B4B	
					Packaging 3 - 30 - B4B	
					Packaging 3 - 31 - B4B	
					Packaging 3 - 32 - B4B	
					Packaging 3 - 33 - B4B	
					Packaging 3 - 34 - B4B	
					Packaging 3 - 35 - B4B	
					Packaging 3 - 36 - B4B	
140	QC 21 - SA	5 pcs	2/8/19	0.00 0.00	QC 21 - SA - 21	DAS 21 APR 08 2019
					QC 21 - SA - 70	9-88
Part Op 110 - (Small Fab) -Bag and tag 3 RBE350A94-3700-C-1A per kit as per DWG sheet 1 Descriptions: 120 - (QC5- Inspect part completeness to step on W/O) 130 - (Identify as per dwg & Stock Location: _____) 140 - (QC21- Final Inspection - Work Order Release)						
Job BOM						
Part / Item	Component Name	Quantity	Operation	Container		
RBE350A94-3700-C-1A	Adjustable Brace Assembly	15 Ea (3 ea)	110-Small Fab - 1	5170242		
Job Allocations						
Operation	Component Part	Required	Inventory	Allocated		
110-Small Fab - 1	RBE350A94-3700-C-1A	15	0	0		
Part Specifications						
Specifications could not be found.						

GA
1418

Plex 1/22/19 1:33 PM Dart.lajeunesse.marie

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
4		BROKE OUT FROM KIT AS INDIVIDUAL TOOL.	7/10/2015		
4A		CH'D T/N WAS RBEA94-3700-C IS RBE350A94-3700-C, DELETED ASSY. FROM TOOL NAME.	10/23/2013	CFS	RW
5	15-0213	-01 CH'D HOLE WAS Ø5.1 mm IS Ø.192 - .187. -03 CH'D HOLE WAS Ø3.1 mm IS Ø.129 - .125. CH'D DIM WAS Ø.315 S.F. -07 IS Ø.3159 - .3150. -05 CH'D HOLE WAS Ø5.1 mm IS Ø.192 - .187. -07 CH'D HOLE WAS Ø3 mm IS .129 - .125. CH'D DIM WAS Ø.315 S.F. -03 IS Ø.3170 - .3164 ∇ .36.	8/14/2015	RJC	JAG
6	16-0286	-1A ADDED DRAWING. -01, -03, -09 -01 ADDED FINISH SPEC QMSI-6.2.2, B.O. REV D. -C DELETED. -01 CH'D DIM WAS Ø.620 S.F. -03 IS Ø.634 (S.F. -03), WAS .250 IS .250 +.000/-0.005. WAS .130 THRU IS .132 +.010/-0.000 (S.F. -11), WAS Ø.192/.187 THRU IS Ø.192/.187 THRU ALL (P.F. -13), DELETED DIM Ø.750 ∇ .47 MIN S.F. -05, ADDED DIM Ø.747/.742 (S.F. -05), .49, 2X FULL R. -03 CH'D DIM WAS Ø.3159/.3150 IS Ø.3159/.3155 (S.F. -07), WAS .217 IS .217 +.005/-0.000, WAS 2X Ø.129/.125 THRU IS 2X Ø.129/.125 THRU ALL (P.F. -11). -05 CH'D DIM WAS Ø.625 THRU ALL ∇ Ø.750 ∇ .473 S.F. -01 IS Ø.63 THRU ALL ∇ Ø.755/.750 ∇ .473 (S.F. -01), WAS Ø.192/.187 THRU ALL IS Ø.192/.187 THRU ALL (P.F. -13), WAS .217 IS .217 +.000/-0.010. -07 CH'D DIM WAS Ø.3170/.3164 ∇ .36 IS Ø.3170/.3164 ∇ .37 (S.F. -03), WAS Ø.129/.125 THRU IS Ø.129/.125 THRU ALL (P.F. -11), WAS .217 IS .217 +.000/-0.005. WAS .551 IS .55. -09 CH'D DIM WAS .20 IS 2X .20. ADDED -15, -17, -19.	2/28/2017	RJC	SM



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 189306 MJS
19-01-22

NOTE:

CROSS REFERENCE NUMBERS:

RED BARN No.'s = HELIPRODUCTS NO.'s
RBE350A94-3700-C-01 = E-350A94-3700-25
RBE350A94-3700-C-03 = E-350A94-3700-26
RBE350A94-3700-C-05 = E-350A94-3700-27
RBE350A94-3700-C-07 = E-350A94-3700-28
FOR REFERENCE ONLY.

ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
	X		-1A	3				2
	1		-01		TUBE	STEEL		3
	1		-03		ALL THREAD	B7 STEEL		4
	1		-05		BOTTOM	6061		5
	1		-07		TOP	6061		6
	1		-09		KNURLED NUT	STRESS PROOF		7
	2	B/O	-11		SLOTTED SPRING PIN	S.S.	Ø1/8 X 3/4 (MCMaster-CARR #92373A181)	2
	1	B/O	-13		SLOTTED SPRING PIN	S.S.	Ø3/16 X 1 (MCMaster-CARR #92373A251)	2
	1	B/O	-15		REMOVE BEFORE FLIGHT	NYLON	NAS 1756-12	2
	2	B/O	-17		FERRULE	ALUMINUM	Ø1/16 X 3/8 (MCMaster-CARR #3896T31)	2
	1	B/O	-19		LANYARD CABLE	COATED STEEL	Ø1/16 X 8 (CARR LANE #CL-2-C)	2
	ASSY -1A							

DART AEROSPACE			
TITLE SWASHPLATE IMMOBILIZING TOOL ADJUSTABLE BRACE			
DWG NO. RBE350A94-3700-C			REV 6
MAT'L		UNLESS OTHERWISE SPECIFIED	
HEAT TREAT		DIMENSIONS ARE IN INCHES	
FINISH		.XXX ± .005 FRACTIONS ± 1/8	
SPEC		.XX ± .01 ANGLES ± 5°	
DRAWN BY: CLOUGH		X ± .1 SURFACES = 125°	
CHECKED: DUERFELDT		1. BREAK ALL SHARP EDGES	
OPPS APPR: ANDERSON		.015 x 45° OR .015R	
QA APPR: LINDSAY		2. DIMENSIONAL LIMITS APPLY	
APPROVED: MACKOVJAK		AFTER PLATING	
SCALE 1:8		3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	
DATE 8/21/2016		USED ON MODEL	
SHEET 1 OF 7		EUROCOPTER AS350/355	

Entered: _____ Date: _____



WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____

Route update only ☐

Job: _____ Part No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐	DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐			
Date :	Sequence #:	QTY Affected :		MRB (QSI042)	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor	
				QC / QA Coordinator	
Root Cause Operator ☐ Manufacturing Process ☐ Equip/Tooling ☐ Handling/Presservation ☐ Material ☐ Product Improvement ☐ Process Improvement ☐ Human Factors ☐ ☐ Pressure/Forced ☐ Bending ☐ Crushing ☐ Cracks ☐ Crimp/Kink/Ripple/Wave/Twist ☐ Marks/Chatter ☐ Mislabeled		FAULT CATEGORY ☐ Contamination ☐ Misaligned/off center ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Incomplete/Unclear Instructions ☐ Drill Holes ☐ Fit/Function ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain Direction ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set/Set-up ☐ Positioned Wrong ☐ Outside Tolerance ☐ Drawing ☐ Finish ☐ Part Lost/Missing ☐ Misread			
Other/Details:					